

**PRODUCT SPECIFICATION
BRIGHT STOCK SLACK WAX (*) -1440**

Property	Test Unit	Guarantee	Limit	Test Method	
				ASTM	IP
Gravity at 15.6 °C	API	30-35			D 287
Color, 10 % Dilute	ASTM	5.0	Max		D 1500
Flash Point	°C	230	Min		D 92
Melting Point	°C	60	Min		D 127
Oil Content	wt %	13.0	Max		D 721
Viscosity at 100 °C	cSt	13-18			D 445
Sulfur	wt %	1.0	Max		D 129
Conradson Carbon Residue	wt %	0.2	Max		D 189

(*) This product is produced only in İzmir Refinery.