

**PRODUCT SPESIFICATION
WHITE SPIRIT 140/210(*) -182**

Property	Test Unit	Guarantee	Limit	Test Method	
				ASTM	IP
Appearance	Clear and Bright				
Density at 15 °C	kg/l	0,770	Min	D 1298 D 4052	
Sulfur	ppm	50	Max	D 5453	
Flash Point	°C	38	Min		170
Corrosion,Copper Strip(3h at 50 OC)		No.1	Max	D 130	
Doctor Test		Negative			30
Distillation	°C			D 86	
IBP		140	Min		
EP		210	Max		
Color,Saybolt		+30	Min	D 156	
Aromatic Content	%vol	20	Max	D 1319	

(*) This product is produced in İzmit and Kırıkkale Refineries.